

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
Erlenmeyer flasks for cell culture				
2504-00025	25 mL Erlenmeyer flask with screw cap	6	N/A	
2504-00050	50 mL Erlenmeyer flask with screw cap	6	N/A	
2504-00125	125 mL Erlenmeyer flask with screw cap	6	N/A	
2504-00250	250 mL Erlenmeyer flask with screw cap	6	N/A	
2504-00300	300 mL Erlenmeyer flask with screw cap	6	N/A	
2504-00500	500 mL Erlenmeyer flask with screw cap	6	N/A	
2504-01000	1000 mL Erlenmeyer flask with screw cap	6	635165	Bellco packed 6/cs, Wheaton 1/cs
2504-02000	2000 mL Erlenmeyer flask with screw cap	6	N/A	
2504-03000	3000 mL Erlenmeyer flask with screw cap	6	N/A	
2504-04000	4000 mL Erlenmeyer flask with screw cap	6	N/A	
2504-06000	6000 mL Erlenmeyer flask with screw cap	6	N/A	
Nephelo flasks				
2571-14130	125 mL Nephelo Flask	4	N/A	
2571-14133	300 mL Nephelo Flask	4	N/A	
2574-12131	1000 mL Nephelo Flask With Cleanout Port & Caps	4	N/A	
2574-12133	300 mL Nephelo Flask With Cleanout Port & Caps	4	N/A	
2574-12135	500 mL Nephelo Flask With Cleanout Port & Caps	4	N/A	
2574-14131	1000 mL Nephelo Flask With Cleanout Port & Caps	4	351514	Bellco packed 4/cs, Wheaton 1/cs
2574-14133	300 mL Nephelo Flask With Cleanout Port & Caps	4	351454	Bellco packed 4/cs, Wheaton 1/cs
2574-14135	500 mL Nephelo Flask With Cleanout Port & Caps	4	N/A	
2574-19131	1000 mL Nephelo Flask With Cleanout Port & Caps	4	351516	Bellco packed 4/cs, Wheaton 1/cs
2574-19133	300 mL Nephelo Flask With Cleanout Port & Caps	4	351456	Bellco packed 4/cs, Wheaton 1/cs
2574-19135	500 mL Nephelo Flask With Cleanout Port & Caps	4	351486	Bellco packed 4/cs, Wheaton 1/cs
2578-12133	300 mL Nephelo flask, tripled baffled	4	N/A	
2578-14133	300 mL Nephelo flask, tripled baffled	4	N/A	
2578-19133	300 mL Nephelo flask, tripled baffled	4	N/A	
2581-14133	300 mL Nephelo flask, 3 baffles, w/Cleanout Port & Caps	4	N/A	
2581-14135	500 mL Nephelo flask, 3 baffles, w/Cleanout Port & Caps	4	N/A	
2581-19133	300 mL Nephelo flask, 3 baffles, w/Cleanout Port & Caps	4	N/A	
2581-19135	500 mL Nephelo flask, 3 baffles, w/Cleanout Port & Caps	4	N/A	
Shake Flasks				
2540-00050	50 mL shake flask, 3 baffles	12	353255	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2540-00125	125 mL shake flask, 3 baffles	12	353257	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2540-00250	250 mL shake flask, 3 baffles	12	353259	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2540-00300	300 mL shake flask, 3 baffles	12	N/A	
2540-00500	500 mL shake flask, 3 baffles	12	353262	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2540-01000	1000 mL shake flask, 3 baffles	6	353264	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2540-02000	2000 mL shake flask, 3 baffles	3	353266	Wheaton bottomed baffled, packed 1/cs, Bellco side baffled, takes SS sleeve cap
2541-00125	125 mL shake flask, 3 baffles	12	353257	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2541-00250	250 mL shake flask, 3 baffles	12	353259	Wheaton bottom baffled, packed 1/cs; Bellco side baffled

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
2541-01000	1000 mL shake flask, 3 baffles	6	353264	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2541-02000	2000 mL shake flask, 3 baffles	3	353266	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2542-00250	250 mL shake flask, 3 deep baffles	12	353259	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2542-00300	300 mL shake flask, 3 deep baffles	12	N/A	
2542-00500	500 mL shake flask, 3 deep baffles	12	353262	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2542-01000	1000 mL shake flask, 3 deep baffles	6	353264	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2542-02000	2000 mL shake flask, 3 deep baffles	3	353266	Wheaton bottom baffled, packed 1/cs; Bellco side baffled
2543-00050	50 mL shake flask, 3 deep baffles	12	353255	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-00125	125 mL shake flask, 3 deep baffles	12	353257	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-00250	250 mL shake flask, 3 deep baffles	12	353259	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-00300	300 mL shake flask, 3 deep baffles	12	N/A	
2543-00500	500 mL shake flask, 3 deep baffles	12	353262	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-01000	1000 mL shake flask, 3 deep baffles	6	353264	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-02000	2000 mL shake flask, 3 deep baffles	3	353266	Wheaton bottom baffled, packed 1/cs; Bellco side baffled, takes SS cap
2543-03000	3000 mL shake flask, 3 deep baffles	3	N/A	
2543-04000	4000 mL shake flask, 3 deep baffles	3	N/A	
2547-00250	250 mL shake flask, 4 baffles	12	354239	Wheaton packed 1/cs; Bellco takes SS cap, both bottom baffled
2547-00500	500 mL shake flask, 4 baffles	12	354242	Wheaton packed 1/cs; Bellco takes SS cap, both bottom baffled
2547-01000	1000 mL shake flask, 4 baffles	6	354244	Wheaton packed 1/cs; Bellco takes SS cap, both bottom baffled
Trypsinizing flasks				
1989-00125	125 mL Trypsinizing Flask w/pourout & caps	3	355754	Wheaton packed 1/cs, 150 mL volume
1989-00250	250 mL Trypsinizing Flask w/pourout & caps	3	355755	Wheaton packed 1/cs, 300 mL volume
1989-00500	500 mL Trypsinizing Flask w/pourout & caps	3	355757	Wheaton packed 1/cs, 700 mL volume
1992-00050	50 mL Trypsinizing Flask	3	355393	Wheaton packed 1/cs, 75 mL volume, comes with screw cap
1992-00125	125 mL Trypsinizing Flask	3	355394	Wheaton packed 1/cs, 150 mL volume, comes with screw cap
1992-00250	250 mL Trypsinizing Flask	3	355395	Wheaton packed 1/cs, 300 mL volume, comes with screw cap
1992-00500	500 mL Trypsinizing Flask	3	355397	Wheaton packed 1/cs, 700 mL volume, comes with screw cap
1992-01000	1000 mL Trypsinizing Flask	2	355398	Wheaton packed 1/cs, 1500 mL volume, comes with screw cap
1992-02000	2000 mL Trypsinizing Flask	2	N/A	
1992-04000	4000 mL Trypsinizing Flask	2	N/A	
Spinner flasks				
1964-08000	8L 100 mm center neck vessel 0/4 baffles/sidearms	1	WL055973	Wheaton flask is 10 L total volume, 6 sidearms, no baffles
1964-08060	8L 100 mm center neck vessel 0/6 baffles/sidearms	1	WL055973	Wheaton flask is 10 L total volume, 6 sidearms, no baffles
1964-08460	8L 100 mm center neck vessel 4/6 baffles/sidearms	1	WL055973	Wheaton flask is 10 L total volume, 6 sidearms, no baffles
1964-15000	15L 100 mm center neck vessel 0/4 baffles/sidearms	1	WL052594	Wheaton flask is 19 L total volume, 6 sidearms, no baffles
1964-15060	15L 100 mm center neck vessel 0/6 baffles/sidearms	1	WL052594	Wheaton flask is 19 L total volume, 6 sidearms, no baffles
1964-15460	15L 100 mm center neck vessel 4/6 baffles/sidearms	1	WL052594	Wheaton flask is 19 L total volume, 6 sidearms, no baffles
1964-36000	36L 100 mm center neck vessel 0/6 baffles/sidearms	1	I050567	Wheaton flask is 45 L total volume, 7 sidearms, no baffles
1964-36460	36L 100 mm center neck vessel 4/6 baffles/sidearms	1	I050567	Wheaton flask is 45 L total volume, 7 sidearms, no baffles
1965-00100	100 mL MicroCarrier spinner flasks with paddle	1	356876	Wheaton flask is 125 mL, 51 mm cap, 33 mm sidearms, straight stirrer blades, magnetic drive only
1965-00250	250 mL MicroCarrier spinner flasks with paddle	1	356879	Wheaton flask has 51 mm cap, 33 mm sidearms, straight stirrer blades, magnetic drive only

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
1965-00500	500 mL MicroCarrier spinner flasks with paddle	1	356882	Wheaton flask has 100 mm cap, straight stirrer blades, magnetic drive only
1965-01000	1000 mL MicroCarrier spinner flasks with paddle	1	356884	Wheaton flask has straight stirrer blades, magnetic drive only
1965-02500	500 mL MicroCarrier spinner flasks with paddle	1	356882	Wheaton flask has straight stirrer blades, magnetic drive only
1965-03000	3000 mL MicroCarrier spinner flasks with paddle	1	356887	Wheaton flask has straight stirrer blades, magnetic drive only
1965-06000	6000 mL MicroCarrier spinner flasks with paddle	1	356889	Wheaton flask has straight stirrer blades, magnetic drive only
1965-08000	8000 mL MicroCarrier spinner flasks with paddle	1	356890	Wheaton flask has straight stirrer blades, magnetic drive only
1965-15000	15000 mL MicroCarrier spinner flasks with paddle	1	N/A	
1965-36000	36000 mL MicroCarrier spinner flasks with paddle	1	N/A	
1965-50050	50 mL Water Jacketed Spinner Flask	1	356945	Wheaton flask has 38 mm cap, 15 mm sidearm
1965-50100	100 mL Water Jacketed Spinner Flask	1	356946	Wheaton flask has 51 mm cap, 33 mm sidearm, 125 mL working volume
1965-50250	250 mL Water Jacketed Spinner Flask	1	356949	Wheaton flask has 51 mm cap, 33 mm sidearm
1965-50500	500 mL Water Jacketed Spinner Flask	1	356952	Wheaton flask has 100 mm cap, 45 mm sidearm
1965-51000	1000 mL Water Jacketed Spinner Flask	1	356954	Equivalent
1965-53000	3000 mL Water Jacketed Spinner Flask	1	N/A	
1965-56000	6000 mL Water Jacketed Spinner Flask	1	N/A	
1965-61001	100 mL spinner flask, with paddle	1	356876	Wheaton flask 125 mL working volume
1965-61002	250 mL spinner flask, with paddle	1	356879	Equivalent
1965-61005	500 mL spinner flask, with paddle	1	356882	Wheaton flask has 100 mm cap
1965-61010	1000 mL spinner flask, with paddle	1	356884	Equivalent
1965-61015	500 mL spinner flask, with paddle	1	356882	Equivalent
1965-61030	3000 mL spinner flask, with paddle	1	356887	Equivalent
1965-61060	6000 mL spinner flask, with paddle	1	356889	Equivalent
1965-61080	8000 mL spinner flask, with paddle	1	356890	Equivalent
1965-61150	15L spinner flask, with paddle	1	N/A	
1965-61360	36L spinner flask, with paddle	1	N/A	
1965-80105	100mL spinner flask with paddle	1	356876	Wheaton flask is 125 mL, 51 mm cap, 33 mm sidearms, no baffles
1965-80255	250mL spinner flask with paddle	1	356879	Wheaton flask has 51 mm cap, 33 mm sidearms, no baffles
1965-80515	500mL spinner flask with paddle	1	356882	Wheaton flask has no baffles
1965-80575	500mL spinner flask with paddle	1	356882	Wheaton flask has 100 mm cap, no baffles
1965-81005	1000mL spinner flask with paddle	1	356884	Wheaton flask has no baffles
1965-83005	3000mL spinner flask with paddle	1	356887	Wheaton flask has no baffles
1965-83105	100mL spinner flask with paddle	1	356876	Wheaton flask is 125 mL, 51 mm cap, 33 mm sidearms, no baffles
1965-83255	250mL spinner flask with paddle	1	356879	Wheaton flask has 51 mm cap, 33 mm sidearms, no baffles
1965-92001	100mL Glass ball spinner flask	1	356830	Wheaton flask has 51 mm cap, has 125 mL working volume
1965-92002	250mL Glass ball spinner flask	1	356831	Wheaton flask has 51 mm cap
1965-92005	500mL Glass ball spinner flask	1	356832	Equivalent
1965-92010	1L Glass ball spinner flask	1	356834	Equivalent
1965-92030	3L Glass ball spinner flask	1	356837	Equivalent
1965-92060	6L Glass ball spinner flask	1	356839	Equivalent
1965-92080	8L Glass ball spinner flask	1	N/A	
1965-97001	1L Bio-Probe spinner flasks with paddle	1	N/A	
1965-97003	3L Bio-Probe spinner flasks with paddle	1	N/A	

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
1965-97005	500mL Bio-Probe spinner flasks with paddle	1	N/A	
1967-00025	25 mL hanging bar spinner flask, with paddle	1	356873	Wheaton flask has rod completely within flask
1967-00050	50 mL hanging bar spinner flask, with paddle	1	356875	Wheaton flask has rod completely within flask
1967-00100	100 mL hanging bar spinner flask, with paddle	1	356876	Wheaton flask has rod completely within flask, dimpled bottom, 125 mL working volume
1967-00250	250 mL hanging bar spinner flask, with paddle	1	356879	Wheaton flask has rod completely within flask, dimpled bottom
1967-00500	500 mL hanging bar spinner flask, with paddle	1	356882	Wheaton flask has rod completely within flask, dimpled bottom
1967-01000	1000 mL hanging bar spinner flask, with paddle	1	356884	Wheaton flask has rod completely within flask, dimpled bottom
1967-03000	3000 mL hanging bar spinner flask, with paddle	1	356887	Wheaton flask has rod completely within flask, dimpled bottom
Stirrers				
Single place stirrers- cross to Wheaton slow speed Micro-Stir®				Suffix key for Wheaton stirrers: A=North America plug, C=Continental Europe plug, D=UK plug, F=Australia plug, G=Italy plug, J=India plug
7760-06000	Bell Stir, speed range 30-1000 RPM	1	W900700-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7760-06003	Bell Stir, speed range 30-1000 RPM	1	W900700-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7760-06220	Bell Stir, speed range 30-1000 RPM, 230 VAC	1	W900700-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7760-06223	Bell Stir, speed range 30-1000 RPM, 230 VAC	1	W900700-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P1108	Bell-enium, speed range 15-500 RPM	1	W900700-A	Wheaton unit holds up to 3 L flask, has many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P1208	Bell-enium, speed range 15-500 RPM, 230 VAC	1	W900700-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has many other features, 5-175 RPM- for faster speeds, see Biostir® units
Single place stirrers- cross to Wheaton Biostir®				Suffix key for Wheaton stirrers: A=North America plug, C=Continental Europe plug, D=UK plug, F=Australia plug, G=Italy plug, J=India plug
7760-06000	Bell Stir, speed range 30-1000 RPM	1	W900702-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7760-06003	Bell Stir, speed range 30-1000 RPM	1	W900702-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7760-06220	Bell Stir, speed range 30-1000 RPM, 230 VAC	1	W900702-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7760-06223	Bell Stir, speed range 30-1000 RPM, 230 VAC	1	W900702-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P1108	Bell-enium, speed range 15-500 RPM	1	W900702-A	Wheaton unit holds up to 3 L flask, has many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P1208	Bell-enium, speed range 15-500 RPM, 230 VAC	1	W900702-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
Multi-place stirrers- Cross to Wheaton slow speed Micro-Stir®, 4 position				Suffix key for Wheaton stirrers: A=North America plug, C=Continental Europe plug, D=UK plug, F=Australia plug, G=Italy plug, J=India plug
7785-D1502	Bellenium 2 Position Digital, speed range 15-500 RPM	1	W900701-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
7785-D1512	Bellenium 2 Position Digital, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-D2005	5 Position Digital, speed range 15-500 RPM	1	W900701-A	Wheaton unit has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-D2015	5 Position Digital, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-D9005	9 Position digital, speed range 15-500 RPM	1	W900701-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-D9015	9 Pos digital, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P1502	Process Control, 2 Position, speed range 15-500 RPM	1	W900701-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P1512	Process Control, 2 Position, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P2005	Process control, 5 position, speed range 15-500 RPM	1	W900701-A	Wheaton unit has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P2015	Process control, 5 pos, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P9005	Process control, 9 Position, speed range 15-500 RPM	1	W900701-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
7785-P9015	Process control, 9 Position, speed range 15-500 RPM, 230 VAC	1	W900701-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 5-175 RPM- for faster speeds, see Biostir® units
Multi-place stirrers- Cross to Wheaton Biostir®, 4-position				Suffix key for Wheaton stirrers: A=North America plug, C=Continental Europe plug, D=UK plug, F=Australia plug, G=Italy plug, J=India plug
7785-D1502	Bellenium 2 Position Digital, speed range 15-500 RPM	1	W900703-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-D1512	Bellenium 2 Position Digital, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-D2005	5 Position Digital, speed range 15-500 RPM	1	W900703-A	Wheaton unit has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-D2015	5 Position Digital, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-D9005	9 Position digital, speed range 15-500 RPM	1	W900703-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-D9015	9 Pos digital, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P1502	Process Control, 2 Position, speed range 15-500 RPM	1	W900703-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P1512	Process Control, 2 Position, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P2005	Process control, 5 position, speed range 15-500 RPM	1	W900703-A	Wheaton unit has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
7785-P2015	Process control, 5 pos, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P9005	Process control, 9 Position, speed range 15-500 RPM	1	W900703-A	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
7785-P9015	Process control, 9 Position, speed range 15-500 RPM, 230 VAC	1	W900703-C,D,F,G,J	Wheaton unit holds up to 3 L flask, has digital display, many other features, 150-1200 RPM- for slower speeds, see Micro-Stir® units
Pipettes				
Fixed volume pipettes				
4704-80005	5uL Sealpette fixed volume pipette	1	W810002	Equivalent
4704-80006	10uL Sealpette fixed volume pipette	1	W810004	Equivalent
4704-80007	22uL Sealpette fixed volume pipette	1	W810008	Typo on Bellco web site- pipette is really 20 uL. Wheaton unit is Equivalent.
4704-80008	25uL Sealpette fixed volume pipette	1	W810010	Equivalent
4704-80009	50uL Sealpette fixed volume pipette	1	W810016	Equivalent
4704-80010	100uL Sealpette fixed volume pipette	1	W810028	Equivalent
4704-80011	200uL Sealpette fixed volume pipette	1	W810034	Equivalent
4704-80012	250uL Sealpette fixed volume pipette	1	W810036	Equivalent
4704-80013	500uL Sealpette fixed volume pipette	1	W810042	Equivalent
4704-80014	1000uL Sealpette fixed volume pipette	1	W810054	Equivalent
4704-80015	2000uL Sealpette fixed volume pipette	1	W810056	Equivalent
4704-80016	5000uL Sealpette fixed volume pipette	1	W810060	Equivalent
Manual single channel, variable volume pipettes				
4704-80000	0.5-10uL variable volume, single channel pipette	1	W810302	Equivalent
4704-80080	2-20uL variable volume, single channel pipette	1	W810306	Equivalent
4704-80001	5-50uL variable volume, single channel pipette	1	W810308	Equivalent
4704-80081	10-100uL variable volume, single channel pipette	1	W810310	Equivalent
4704-80082	20-200uL variable volume, single channel pipette	1	W810312	Equivalent
4704-80002	50-200uL variable volume, single channel pipette	1	W810312	Wheaton offering 20-200 uL
4704-80083	100-1000uL variable volume, single channel pipette	1	W810314	Equivalent
4704-80003	200-1000uL variable volume, single channel pipette	1	W810314	Wheaton Offering 100-1000 uL
4704-80004	1-5mL variable volume, single channel pipette	1	W810316	Wheaton offering 0.5-5 mL
Manual multichannel pipettes				
4704-80017	4 channel 5-50uL multichannel pipette	1	N/A	
4704-80018	4 channel 50-250uL multichannel pipette	1	N/A	
4704-80042	8 channel 0.5-10uL multichannel pipette	1	W810600	Equivalent
4704-80019	8 channel 5-50uL multichannel pipette	1	W810602	Equivalent
4704-80020	8 channel 50-250uL multichannel pipette	1	W810604	Wheaton pipette 40-350 uL
4704-80021	12 channel 5-50uL multichannel pipette	1	W810608	Equivalent
4704-80022	12 channel 50-250uL multichannel pipette	1	W810610	Wheaton pipette 40-350 uL
Electronic single channel pipettes				
4704-80023	0.2-10uL electronic pipette	1	W810908-A	Wheaton pipette 0.5-10 uL
4704-80024	5-100uL electronic pipette	1	W810912-A	Wheaton pipette 10-200 uL
4704-80026	20-500uL electronic pipette	1	W810914-A	Wheaton pipette 50-1000 uL

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
4704-80027	50-1000uL electronic pipette	1	W810914-A	Wheaton pipette 50-1000 uL
4704-80028	100-5000uL electronic pipette	1	N/A	
Roller Racks				
7370-08115	8 deck fixed frame, Digital, 100/115V roller rack	1	CALL Wheaton	
7370-08230	8 deck fixed frame, Digital, 230V roller rack	1	CALL Wheaton	
7375-08115	8 deck fixed frame, Process, 100/115V roller rack	1	CALL Wheaton	
7375-08230	8 deck fixed frame, Process, 230V roller rack	1	CALL Wheaton	
7380-08115	8 deck fixed frame, Digital, 100/115V roller rack	1	CALL Wheaton	
7380-08230	8 deck fixed frame, Digital, 230V roller rack	1	CALL Wheaton	
7385-08115	8 deck fixed frame, Process, 100/115V roller rack	1	CALL Wheaton	
7385-08230	8 deck fixed frame, Process, 230V roller rack	1	CALL Wheaton	
7400-10115	53 Position 115 V roller rack	1	349000-A	Wheaton unit 52 pos
7400-10230	53 Position 230 V roller rack	1	349000-230 V series	Wheaton unit 52 pos
7400-20115	53 Position 115 V roller rack	1	349000-A	Wheaton battey backup optional, unit 52 pos
7400-20230	53 Position 230 V roller rack	1	349000-230 V series	Wheaton battey backup optional, unit 52 pos
7420-10115	86 Position 115 V roller rack	1	348990-A	Equivalent
7420-10230	86 Position 230 V roller rack	1	348990-230V ser.	Equivalent
7420-20115	86 Position 115 V roller rack	1	348990-230V ser.	Wheaton battey backup optional
7420-20230	86 Position 230 V roller rack	1	348990-230V ser.	Wheaton battey backup optional
7440-10115	53 Position 115 V roller rack, digital display	1	349000-A	Wheaton unit 52 pos, no digital display
7440-10230	53 Position 230 V roller rack, digital display	1	349000-230 V series	Wheaton unit 52 pos, no digital display
7440-20115	53 Position 115 V roller rack, digital display	1	349000-A	Wheaton battey backup optional, unit 52 pos, no digital display
7440-20230	53 Position 230 V roller rack, digital display	1	349000-230 V series	Wheaton battey backup optional, unit 52 pos, no digital display
7460-10115	86 Position 115 V roller rack, digital display	1	348990-A	Wheaton unit has no digital display
7460-10230	86 Position 230 V roller rack, digital display	1	348990-230V ser.	Wheaton unit has no digital display
7460-20115	86 Position 115 V roller rack, digital display	1	348990-230V ser.	Wheaton battey backup optional, no digital display
7460-20230	86 Position 230 V roller rack, digital display	1	348990-230V ser.	Wheaton battey backup optional, no digital display
7630-80509	SCI/ERA roller rack, 9 decks, 115 V	1	CALL Wheaton	
7630-80510	SCI/ERA roller rack, 10 decks, 115 V	1	CALL Wheaton	
7630-82509	SCI/ERA roller rack, 9 decks, 230 V	1	CALL Wheaton	
7630-82510	SCI/ERA roller rack, 10 decks, 230 V	1	CALL Wheaton	
Media Bottles				
Media Bottles - 33m (38mm on 1000ml) Caps Attached				
5636-00125	125ml graduated media bottles with rubber lined phen. Cap	48	219755	Equivalent
5636-00250	250ml graduated media bottles with rubber lined phen. Cap	48	219757	Equivalent
5636-00533	500ml graduated media bottles with rubber lined phen. Cap	24	219759	Equivalent
5636-01038	1000ml graduated media bottles with rubber lined phen. Cap	24	219760	Equivalent
Media Bottles - 45mm Caps Attached				
5637-00100	100ml graduated media bottles with 45mm plug-seal cap	12	219925	Equivalent
5637-00250	250ml graduated media bottles with 45mm plug-seal cap	12	219927	Equivalent

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
5637-00500	500ml graduated media bottles with 45mm plug-seal cap	12	219929	Equivalent
5637-01000	1000ml graduated media bottles with 45mm plug-seal cap	12	219930	Equivalent
5637-02000	2000ml graduated media bottles with 45mm plug-seal cap	6	219931	Equivalent
Media Bottles - 45mm w/o Caps				
5637-60100	100ml graduated media bottles, 45mm w/o Cap	12	219915	Equivalent
5637-60250	250ml graduated media bottles, 45mm w/o Cap	12	219917	Equivalent
5637-60500	500ml graduated media bottles, 45mm w/o Cap	12	219919	Equivalent
5637-61000	1000ml graduated media bottles, 45mm w/o Cap	12	219920	Equivalent
5637-62000	2000ml graduated media bottles, 45mm w/o Cap	6	219921	Equivalent
Replacement Caps for Media Bottles				
5637-00045	Blue PP 45mm Cap	12	240726-04	Equivalent
5637-00047	Green PP 45mm Cap	12	N/A	
Pour ring for media bottles				
5637-10045	Blue PP 45mm Pour-Ring	12	240756	Equivalent
HPLC Vials				All Wheaton Clear Vials are 33 expansion Type one, class A glass, Amber is Type One, Class B Glass
Screw thread vials				
2070-00010	8-425 12x32mm Clear	1000	W225900	Equivalent
2070-00020	8-425 12x32mm Amber	1000	W225910	Equivalent
2070-00170	10-425 12x32mm Clear	1000	224626	Wheaton vial has Step Opening
2070-00180	10-425 12x32mm Amber	1000	224628	Wheaton vial has Step Opening
2070-00190	9mm 12x32mm Clear	1000	W225150	Equivalent
2070-00200	9mm 12x32mm Amber	1000	W225152	Equivalent
Crimp top vials				
2070-00030	11mm 12x32mm Stand. Open Clear	1000	223682	Wheaton Glass is better quality
2070-00040	11mm 12x32mm Stand. Open Amber	1000	223692	Wheaton Glass is better quality
2070-00050	11mm 12x32mm large. Open Clear	1000	225175	Wheaton Glass is better quality
2070-00060	11mm 12x32mm large Open Amber	1000	225172	Wheaton Glass is better quality
Snap-Crimp vials				
2070-00070	11mm Snap-Crimp 12x32mm Clear	1000	225179	Equivalent
2070-00075	11mm Snap-Crimp 12x32mm 0.10PP	1000	225180	Equivalent
2070-00080	11mm Snap-Crimp 12x32mm Amber	1000	225179-02	Equivalent
2070-00130	11mm Snap-Crimp 12x32mm Stand Opening Clear	1000	N/A	
2070-00140	11mm Snap-Crimp 12x32mm Stand Open Amber	1000	N/A	
2070-00150	11mm Snap-Crimp 12x32mm Clear w/ patch	1000	225179-01	Equivalent
2070-00160	11mm Snap-Crimp 12x32mm Amber w/ patch	1000	225179-03	Equivalent
15x45 mm Screw-Top vials				
2070-00090	13-425 15x45m Clear	1000	224794	Equivalent
2070-00100	13-425 15x45m Amber	1000	224795	Equivalent
Shell vials and plugs				
2070-00110	8x40mm Shell Clear	1000	W225243	Equivalent
2070-00120	8x40mm Shell Amber	1000	N/A	

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
2070-03700	8mm plug	1000	242800	Equivalent
Closures				
2070-00500	8-425 blk Pp	1000	W240506	Wheaton is Phenolic/200pk
2070-00525	8-425 red PP	1000	N/A	
2070-00550	9mm Blue	1000	N/A	
2070-00600	13-425 Blk PP	1000	N/A	
2070-00700	8-425 TFE-SIL	100	240602	Equivalent
2070-00800	13-425 TFE-Sil	100	242768	Equivalent
2070-00900	9mm TFE-RB Blue	1000	W225331-0104	Equivalent
2070-00950	9mm TFE-SIL Blue	1000	W225332-0204	Equivalent
2070-00960	10-425 TFE-SIL Blue	100	242761	Wheaton is Black
2070-00975	10-425 Blk PP	1000	N/A	
2070-00995	10-425 Blk PP	1000	N/A	
Septa				
2070-01000	8mm TFE-Sil	1000	W240580	Wheaton offering is 100/pk
2070-01100	8mm PTFE	1000	N/A	
2070-01200	13mm TFE-SIL	1000	N/A	
2070-01300	13mm TFE	1000	N/A	
Seals				
2070-01400	9mm TFE-RB Septa	1000	N/A	
2070-01500	9mm TFE-SIL Septa	1000	N/A	
2070-01600	10mm TFE-SIL Septa	1000	N/A	
2070-01700	10mm TFE Septa	1000	N/A	
2070-02000	11mm w/ TFE-RB	1000	224211-01	Equivalent
2070-03000	11mm Snap TFE-RB	1000	242786	Equivalent
2070-03100	11mm Snap TFE	1000	242782	Equivalent
2070-03200	11mm Snap TFE-SIL	1000	242776	Equivalent
2070-03500	11mm TFE-SIL-TFE	1000	242772	Equivalent
2070-04000	5x29mm Insert	100	225260	Equivalent
2070-04100	6x29mm Insert	100	225265	Equivalent
2070-04200	6x38mm Insert	100	225268	Equivalent
2070-04300	5x31mm Insert	1000	225350-531	Equivalent
2070-04400	6x30mm Insert	1000	225350-631	Equivalent
2070-04600	0.05ml Insert	100	N/A	
2070-05000	11mm w/ TFE-SIL	1000	224218-01	Equivalent
2070-05100	11mm w/ TFE-RB Blue	1000	224211-05	Equivalent
2070-05200	11mm w/ TFE-RB Yellow	1000	N/A	
2070-05300	11mm w/ TFE-RB Green	1000	224211-07	Equivalent
2070-05400	11mm Clear Poly Crimp w/ TFE	1000	N/A	
Racks				

Bellco to Wheaton Cross Reference

Bellco Item	Description	Qty/Cs	Recommended Wheaton Substitute	Equivalent / Major Differences
2070-06000	50 Position Rack, 12mm White	1	985800	Wheaton Case Size is 5
2070-06100	50 Position Rack, 12mm Blue	1	N/A	
Crimpers				
2070-07000	11 mm Crimper	1	W225301	Wheaton has grips and better features